


IMG STAGELINE (/products/) > Audio tools (/products/audio-tools/) > DI boxes/transformers (/products/audio-tools/di-boxes-transformers/) > FGA-102



FGA-102

Order No.: 25.1650

Professional stereo line transformer,

for reducing signal interference and hum loops which may occur, e.g. when connecting PC sound cards to hi-fi systems or mixers.

- Galvanically isolated inputs and outputs
- Gold-plated RCA connections (600 Ω)
- Frequency range: 20-20,000 Hz
- Robust metal ho...

[+ more](#)

EUR 59,90

RRP *

[BUY AT B2B SHOP \(HTTP://WWW.MONACOR-WEBSH](http://www.monacor-webshop.com)

[ADD TO FAVORITES](#)

* **Important Notice:** The retail prices shown here are non-binding recommendations that retailers can charge their customers. They are not part of any specific offer or advertisement. These prices include all charges as well as VAT, but do not cover any additional delivery and shipping costs. Our latest price lists for the retail market include all applicable delivery and payment terms for retailers.

PRODUCTINFOS

**TECHNICAL
SPECIFICATIONS**

SERVICES

FGA-102

Professional stereo line transformer,

06/2009

for reducing signal interference and hum loops which may occur, e.g. when connecting PC sound cards to hi-fi systems or mixers.

- Galvanically isolated inputs and outputs
- Gold-plated RCA connections (600 Ω)
- Frequency range: 20–20,000 Hz
- Robust metal housing with very good shielding qualities, suitable for stage applications
- Dimensions: 125 × 55 × 75 mm
- Weight: 650 g

SOUNDCHECK 07/2007 tools4music

on the FGA-102, FGA-202, LC-31, MC-31 and LSP-102:

"Every musician or sound engineer should have these little helpers in their toolbox. They impress by their unobtrusiveness. Both the robust metal housing and the functionality of these transformers allow to solve many problems on stage or in the studio at a reasonable price." on the LSP-102, LC-31, FGA-102, FGA-202, DIB-102

"Recommendable and fit for on-the-road applications. An attractively priced little audio aid, perfect for the 'ever accompanying' tool case."

TECHNICAL SPECIFICATIONS FGA-102

FGA-102

Description	transformer
Frequency range	20–20,000 Hz
Input impedance	600 Ω
Admiss. ambient temp.	0–40 °C
Dimensions	125 × 55 × 75 mm
Weight	650 g
Inputs	1 x RCA L/R
Outputs	1 x RCA L/R

DOWNLOADS

[Product Data Sheet \(/Pr /audio-tools/di-boxes-transformers/fga-102/?r](#)
[Instruction Manual \(/Me /FLE/FGA102.pdf\)](#)
[Declaration Of Conformi \(/Media/FLE/FGA-102@20160729_PO1021 Tender Text \(/Media/FL102@H251650AT-EN.pdf](#)

SERVICES

This website uses cookies. By continuing to browse the site, you are agreeing to our use of cookies.

ACKNOWLEDGED

+49 421 +49 421
4865-512 4865-771 /-773
(tel:0494214865512) (tel:0494214865771)

export@monacor.comsupport@monacor.de
(mailto:vertrieb@monacor.de)(mailto:support@monacor.de)

WEBSHOP (HTTP://WWW.MONACOR-WEBSHOP.DE/ENG) LEGAL NOTICE (LEGAL-
NOTICE/) **DISCLAIMER (HTTPS://WWW.MONACOR-INTERNATIONAL.COM/DISCLAIMER**
/) **PRODUCT INFORMATION (/FILEADMIN/USER_UPLOAD/PDF-DATEIEN**
/WICHTIGEINFOS-EN.PDF) CONTACT (CONTACT/) **COMPANY**
(HTTP://WWW.MONACOR-INTERNATIONAL.COM)

IMG STAGELINE is a
brand of

(<https://www.monacor-international.com>)

www.monacor.com
(<https://www.monacor.com>)
www.jts-europe.com (<https://www.jts-europe.com>)
www.monacor-international.com
(<https://www.monacor-international.com>)

This website uses cookies. By continuing to browse the site, you are agreeing to our use of cookies.

ACKNOWLEDGED